

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Andre Pallapies on 1/28/2010.

#### IN THE SPECIFICATION:

On page 2 of the specification, between lines 11 & 12 , -BRIEF DESCRIPTION OF THE DRAWINGS— has been inserted; before line 12, - - Fig. 1 shows an exemplary embodiment of a refrigerator with integrated water supply in accordance with the present invention. - - **has been inserted.**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin Jones whose telephone number is (571)272-4810. The examiner can normally be reached on Monday - Thursday .

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl Tyler can be reached on (571) 272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Melvin Jones/  
Primary Examiner, Art Unit 3744